


# Hearing for the Delaware Recyclable Products, Inc. (DRPI)'s Industrial Waste Landfill Permit Modification Application



**Presented by Mike Melito  
DNREC Solid & Hazardous Waste  
Management Section  
May 29, 2019**



**LOCATIONS OF KEY SITE FEATURES**

<b>Geosyntec</b> consultants COLUMBIA, MARYLAND	DATE: FEBRUARY 2019
	PROJECT NO. ML1571
	DOCUMENT NO.
	FILE NO. 1571 - FIGS
	FIGURE NO. V-1

# Permit SW-15/02

- Issued by DNREC on December 30, 2015.
- Expires on December 30, 2025.
- Issued to the Delaware Recyclable Products, Inc. (DRPI, the Permittee).

# Permit SW-15/02

- Issued pursuant to 7 Delaware Code, Chapter 60, (the Statute) which prohibits the disposal of solid waste without a permit.
- Under the Statute, a permittee is subject to civil, administrative and criminal penalties for violating any condition of their permit.

# Permit SW-15/02

- The Statute establishes regulations that govern solid waste facilities (DRGSW).
- Permit SW-15/02 was issued pursuant to the Statute and based upon requirements specified by Delaware's *Regulations Governing Solid Waste* (DRGSW).

# Permit SW-15/02

- The permit also specifies other plans and procedures deemed necessary by DNREC.
- Permit Condition III.H.2 and III.N.2 specifies Department on-site compliance inspector's role. (Arron Wayson 302-853-0349)

# Permit SW-15/02 Sections

- Section I - General conditions
- Section II - Construction
- Section III - Operations
- Section IV - Environmental Monitoring and Groundwater Control System Management
- Section V - Analytical Methods
- Section VI - Gas Control
- Section VII - Reporting
- Section VIII - Recordkeeping
- Section IX - Landfill Capping System
- Section X - Closure & Post-closure care

# The Process

- Permit Modification Application Administratively Complete (4/1/2019)
- Public Notice of the Permit Modification Application (4/11/2019 to 4/26/2019)
- Hearing Request Received (4/11/2019)
- Public Notice of Public Hearing for the Permit Modification Application (4/28/2019)
- Public Hearing (5/29/2019)
- Hearing Officer's Report
- Secretary's Decision
- Permit Modification as requested/Permit Modifications with conditions/Permit Denial

# Proposed Modifications

- Increase final elevation from 130 feet to 190 feet.
- Add additional culverts connecting the perimeter swale to the stormwater ponds.
- Daily monitoring for leachate seeps per DRGSW (effective May 2018).
- Increase operational cover frequency from 2 weeks to weekly or when windy conditions are forecast.

**Questions? Please contact:**



**Mike Melito at (302) 739-9403  
michael.melito@delaware.gov**

**DNREC Solid & Hazardous Waste Management Section**

**Link to DRPI Public Hearing Information:**

**<https://dnrec.alpha.delaware.gov/events/391/public-hearing-delaware-recyclable-products-inc-drpi-industrial-waste-landfill-permit/>**

# Comment Timer

## 3 minutes per person

